

KENNEL Project

Name of the company

KENNEL

PROJECT

VETERINOVTM
Wellness *by Design*

+ BUILDING SPECIFICATIONS

1. Opening Date (If new building) :

2. New Construction ☐ Remodel ? ☐

3. Are drawings available ?

Yes ☐ No ☐

4. What type of underfloor ?

Wood ☐ Concrete ☐ Other: _____

5. What type of floor ?

Ceramic ☐ epoxy ☐ Vinyl ☐

Other: _____

6. Is there any heated floor ?

Yes ☐ No ☐ I don't know ☐

7. Are drains already installed ?

Yes ☐ No ☐ I don't know ☐

8. Are drains installed in :

kennel ☐ Room ☐ I don't know ☐

+ KENNEL SPECIFICATIONS

9. WALL CONFIGURATION

☐ Existing Wall

That type of configuration is backless. It uses your floor and construction wall. A proper mounting is requested.

*Type of wall:

Block ☐

Studs ☐

Drywall ☐

Other: _____

☐ With a back wall

Using only your floor, that configuration with Veterinov back wall is durable and self-supporting.

This options is recommended for those with drywall.

☐ Back to Back

That type of configuration is self-supporting, using only your floor. It maximise the available floor plan.



GOOD TO KNOW...



Our moulding.

Our **moulding technology** gives it perfect flexibility for **uneven or irregular floors**, whether it be a positive or a negative alteration in height up to 1/4" inches at the floor.

KENNEL

PROJECT

VETERINOV™
Wellness *by Design*

+ KENNEL SPECIFICATIONS

10. FRONT TYPE



Glass



Hybrid



Mesh Wire



Opaque or semi-opaque



11. DIMENSIONS AVAILABLES



| | |
|--------|----------|
| Width | 3' 4' 5' |
| Depth | 4' 5' 6' |
| Height | 4' 5' 6' |


*Please note ...

You will need these dimensions when creating your sketch page 6.


+ DESIGN & OPTIONS KENNEL

12. STRUCTURAL PANEL

Basic Colours



White



Greystone



More colours available on demand.




Foresee Delay



Adding fees



GOOD TO KNOW...



Our Structure.

The opening of the **kennel** is a clear **80 inches** which allows for safe and unhindered access.

+ DESIGN & OPTIONS KENNEL

13. OPTIONS

A. Bowl Holder :

Yes* ☐

No ☐

*Choose an option.

Double holder, Wall Attachment



2 x 750 ml




2 x 1.5 L

Double holder, Door Attachment



2 x 750 ml



2 x 1.5 L

Single holder Wall and/or Door Attachment



1 x 1.5 L + 1 x 1.5 L

B. Transfer Door:

Yes* ☐

No ☐

*How many : # _____

*Identify the location on your sketch page 6.




C. Anti-Jumping Sheets:

Yes* ☐

No ☐

*How many : # _____



GOOD TO KNOW...

COMFORT & SAFETY

The **Bowl Holder Option** allows a safe feeding routine and provides additional protection to professionals when interacting with more aggressive dogs.

The **Transfer Door Option** is secure. Its sliding mechanism which is inaccessible to the animal, is integrated into the panel itself. In addition, the rope runs along the crossbars of the kennel.

ELEVATION VIEW

IMPORTANT: MAKE SURE THE CHECK LIST IS COMPLETE

Please sketch
your plan:


!! ADD !!
PHOTOS
OF THE
ROOM



- + Wall
- + Windows
- + Doors
- + Drain or drains
- + Slope Orientation
- + Kennels
- + Door opening :
View from outside

☐
☐
☐
☐
☐
☐
☐
☐


Left hinge



Interior

Outside

Right Hinge



Outside

Interior

- + Tranfer Door, If applicable

☐

DOCUMENTS TO SUBMIT:

Technical Drawing ☐
Kennel Project Document ☐
Photos ☐
Elevation View ☐



RETURN TO YOUR
REPRESENTATIVE

IMPORTANT: Freehand sketch

ELEVATION VIEW

